


VERGELIJKINGSTABEL

JSWM 1A (2005)



230 v.
0,85 PK / 0,60kW
capaciteit: 5 - 50 ltr./min.
opvoerhoogte: 19- 42 mtr.

a: 115 mm
f: 379 mm
h: 171 mm
DN1/DN2: 1"




JSWM 1A (2014)



230 v.
0,55 PK / 0,75kW
capaciteit: 5 - 60 ltr./min.
opvoerhoogte: 17- 43 mtr.

a: 94 mm
f: 357 mm
h: 171 mm
DN1/DN2: 1"




FUTUREJETM 1A




230 v.
0,75 PK / 0,55kW
capaciteit: 5 - 100 ltr./min.
opvoerhoogte: 9 - 44 mtr.

a: 94 mm
f: 357 mm
h: 173 mm
DN1/DN2: 1"



VERGELIJKINGS TABEL

- JSWm1A (2005)
- JSWm1A (2014)
- Futurejetm1A




VERGELIJKINGSTABEL

JSWM 1C (2005)



230 v.
0,50 PK / 0,37 kW
capaciteit: 5 - 50 ltr./min.
opvoerhoogte: 13- 32 mtr.

a: 115 mm
f: 379 mm
h: 171 mm
DN1/DN2: 1"




JSWM 1C (2014)



230 v.
0,50 PK / 0,37 kW
capaciteit: 5 - 60 ltr./min.
opvoerhoogte: 10- 32 mtr.

a: 94 mm
f: 357 mm
h: 171 mm
DN1/DN2: 1"




FUTUREJETM 1C




230 v.
0,50 PK / 0,37 kW
capaciteit: 5 - 90 ltr./min.
opvoerhoogte: 3,5 - 30,5 mtr.

a: 94 mm
f: 357 mm
h: 173 mm
DN1/DN2: 1"



VERGELIJKINGS TABEL

- JSWm1C (2005)
- JSWm1C (2014)
- Futurejetm1C




VERGELIJKINGSTABEL

JSWM 10M



230 v.
1 PK / 0,75kW
capaciteit: 5 - 80 ltr./min.
opvoerhoogte: 21 - 46 mtr.

a: 113,5 mm
f: 402 mm
h: 201 mm
DN1/DN2: 1"




JSWM 2CM



230 v.
1 PK / 0,75kW
capaciteit: 5 - 80 ltr./min.
opvoerhoogte: 18 - 42 mtr.

a: 96 mm
f: 389 mm
h: 200 mm
DN1/DN2: 1"




FUTUREJET 2C



230 v.
1 PK / 0,75kW
capaciteit: 5 - 120 ltr./min.
opvoerhoogte: 10 - 52 mtr.



a: 96 mm
f: 391 mm
h: 201 mm
DN1/DN2: 1"




VERGELIJKINGS TABEL



VERGELIJKINGSTABEL

	JSWM 2C	FUTUREJETM 2C
	 230 v. 1 PK / 0,75kW capaciteit: 5 - 70 ltr./min. opvoerhoogte: 20 - 47 mtr. a: 96 mm f: 389 mm h: 200 mm DN1/DN2: 1" 	 230 v. 1 PK / 0,75kW capaciteit: 5 - 120 ltr./min. opvoerhoogte: 10 - 52 mtr. a: 96 mm f: 391 mm h: 201 mm DN1/DN2: 1" 

VERGELIJKINGS TABEL




VERGELIJKINGSTABEL

JSWM 15M



230 v.
1,50 PK / 1,10 kW
capaciteit: 5 - 80 ltr./min.
opvoerhoogte: 30 - 52 mtr.

a: 113,5 mm
f: 402 mm
h: 201 mm
DN1/DN2: 1"




JSWM 2A



230 v.
1,50 PK / 1,10 kW
capaciteit: 5 - 70 ltr./min.
opvoerhoogte: 28 - 55 mtr.

a: 96 mm
f: 389 mm
h: 200 mm
DN1/DN2: 1"




FUTUREJETM 2AH



230 v.
1,25 PK / 0,90 kW
capaciteit: 5 - 95 ltr./min.
opvoerhoogte: 15 - 66 mtr.

a: 96 mm
f: 391 mm
h: 201 mm
DN1/DN2: 1"



VERGELIJKINGS TABEL

- JSWm15M
- FUTUREJETm2AH
- JSWm2A

